

ROOM

WWW.ROOMONLINE.COM



AVALON OVAL CHANDELIER

62.6" L x 13.4" D x 2.8" H AS SHOW; MADE TO ORDER IN ANY DIMENSIONS.

BRONZE OR SATIN BRASS CANOPY WITH HONED ALABASTER STONE

ITEM NO. LI389

AVALON CHANDELIER OVAL CEILING MOUNTING PLATE

FINISH

bronze with honed alabaster satin brass with honed alabaster

DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)
62.6 x 13.4 x 2.8 in (l x w x h)

WEIGHT

45kg (99.2lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 300 mm (11.8 in)
maximum on request 5080 mm (200 in)
supplied with 4 x 2500mm (.15 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k
110-130v - integrated LED - 110w - 2700k
LED driver to be installed in the ceiling cavity drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)
0/1-10v (220-240v or 110-130v) - on request


CEILING ROSE / PLATE

450 x 130 x 10 mm (l x w x h)
17.7 x 5.1 x .4 in (l x w x h)


CERTIFICATION




[VIEW ON WEBSITE](#)



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER OVAL CEILING ROSE

FINISH

bronze with honed alabaster satin brass with honed alabaster

DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)
62.6 x 13.4 x 2.8 in (l x w x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 345 mm (13.6 in)
maximum on request 5084 mm (200.2 in)
supplied with 4 x 2500 mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k
110-130v - integrated LED - 110w - 2700k
LED driver to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)
0/1-10v (220-240v or 110-130v) - on request


CEILING ROSE / PLATE

450 x 130 x 55 mm (l x w x h)
17.7 x 5.1 x 2.2 in (l x w x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER OVAL CEILING MOUNTING PLATE - DALI A

FINISH

bronze with honed alabaster satin brass with honed alabaster

DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)
62.6 x 13.4 x 2.8 in (l x w x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 300 mm (11.8 in)
maximum on request 5080 mm (200 in)
supplied with 4 x 2500mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k
110-130v - integrated LED - 110w - 2700k
DALI LED driver to be installed in the ceiling cavity
drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI compatible



CEILING ROSE / PLATE

450 x 130 x 10 mm (l x w x h)
17.7 x 5.1 x .4 in (l x w x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER OVAL CEILING ROSE - DALI A

FINISH

bronze with honed alabaster satin brass with honed alabaster

DIMENSIONS (body of fixture)

1590 x 340 x 70 mm (l x w x h)
62.6 x 13.4 x 2.8 in (l x w x h)

WEIGHT

45kg (99.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 345 mm (13.6 in)

maximum on request 5084 mm (200.2 in)

supplied with 4 x 2500mm (.2 x 98.4 in) stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 110w - 2700k

110-130v - integrated LED - 110w - 2700k

DALI LED driver to be installed in the ceiling rose

DIMMING

DALI compatible

CEILING ROSE / PLATE


450 x 130 x 55 mm (l x w x h)

17.7 x 5.1 x 2.2 in (l x w x h)


CERTIFICATION



VIEW ON WEBSITE



mounting plate dimensions



*Diagrams are not to scale.

AVALON CHANDELIER OVAL

AVALON CHANDELIER OVAL - CEILING MOUNTING PLATE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACHOVZHA-CM-240	bronze with honed alabaster	220 - 240V
AVACHOVSBHA-CM-240	satin brass with honed alabaster	220 - 240V
AVACHOVZHA-CM-110	bronze with honed alabaster	110 - 130V
AVACHOVSBHA-CM-110	satin brass with honed alabaster	110 - 130V

AVALON CHANDELIER OVAL - CEILING ROSE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACHOVZHA-CR-240	bronze with honed alabaster	220 - 240V
AVACHOVSBHA-CR-240	satin brass with honed alabaster	220 - 240V
AVACHOVZHA-CR-110	bronze with honed alabaster	110 - 130V
AVACHOVSBHA-CR-110	satin brass with honed alabaster	110 - 130V

AVALON CHANDELIER OVAL - CEILING MOUNTING PLATE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACHOVZHA-CM-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
AVACHOVSBHA-CM-DALIA-240	satin brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

AVALON CHANDELIER OVAL - CEILING ROSE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACHOVZHA-CR-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
AVACHOVSBHA-CR-DALIA-240	satin brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V