


# ROOM

WWW.ROOMONLINE.COM



---

CIELO WALL / CEILING MOUNT

LARGE: 15.2"W x 5"H. SMALL: 12.4"W x 5"H

BRONZE OR SATIN BRASS WITH FRITTED GLASS AND SHADE

ITEM NO. LI399

## CIELO CEILING / WALL LARGE

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 385 x 130 mm (dia x d)

### WEIGHT

4kg (8.8lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
110-130v - integrated LED - 8w - 2700k  
LED driver to be installed in the ceiling rose  
drivers must be installed up to 20 meters from the body of the light



### DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)  
0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 35 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL LARGE - DALI-A

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 385 x 130 mm (dia x d)

### WEIGHT

4kg (8.8lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the wall/ceiling cavity  
drivers must be installed up to 20 meters from the body of the light



### DIMMING

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 35 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



DALI LED driver dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL LARGE - DALI-B

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 385 x 130 mm (dia x d)

### WEIGHT

4kg (8.8lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the ceiling/wall rose



### DIMMING

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL LARGE

### CIELO CEILING / WALL LARGE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CIECWLBZFG-240	bronze with handmade fritted glass	220 - 240V
CIECWLSBFG-240	satin brass with handmade fritted glass	220 - 240V
CIECWLBZFG-110	bronze with handmade fritted glass	110 - 130V
CIECWLSBFG-110	satin brass with handmade fritted glass	110 - 130V

### CIELO CEILING / WALL LARGE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIECWLBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CIECWLSBFG-DALIA-240	satin brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### CIELO CEILING / WALL LARGE - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIECWLBZFG-DALIB-240	bronze with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
CIECWLSBFG-DALIB-240	satin brass with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V

## CIELO CEILING / WALL SMALL

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 315 x 130 mm (dia x d)

### WEIGHT

3kg (6.6lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k

110-130v - integrated LED - 8w - 2700k

LED driver to be installed in the wall / ceiling rose

drivers must be installed up to 20 meters from the body of the light

### DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 35 mm (dia x h)


### CERTIFICATION




130mm (5.1)



315mm (12.4)



mounting plate dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL SMALL - DALI-A

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 315 x 130 mm (dia x d)

### WEIGHT

3kg (6.6lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the wall/ceiling cavity  
drivers must be installed up to 20 meters from the body of the light



### DIMMING

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 35 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



DALI LED driver dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL SMALL - DALI-B

### FINISH

bronze with handmade fritted glass  
satin brass with handmade fritted glass

### DIMENSIONS (body of fixture)

ø 315 x 130 mm (dia x d)

### WEIGHT

3kg (6.6lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the ceiling rose

### DIMMING

DALI compatible



### CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)


### CERTIFICATION



130mm (5.1)



mounting plate dimensions



\*Diagrams are not to scale.

## CIELO CEILING / WALL SMALL

### CIELO CEILING / WALL SMALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CIECWSBZFG-240	bronze with handmade fritted glass	220 - 240V
CIECWSSBFG-240	satin brass with handmade fritted glass	220 - 240V
CIECWSBZFG-110	bronze with handmade fritted glass	110 - 130V
CIECWSSBFG-110	satin brass with handmade fritted glass	110 - 130V

### CIELO CEILING / WALL SMALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIECWSBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CIECWSSBFG-DALIA-240	satin brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### CIELO CEILING / WALL SMALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIECWSBZFG-DALIB-240	bronze with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
CIECWSSBFG-DALIB-240	satin brass with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V