

ROOM

WWW.ROOMONLINE.COM



CIELO PENDANT

LARGE: 15.2"W x 5"H. SMALL: 12.4"W x 5"H. OAH TO ORDER / ADJUSTABLE ON SITE

BRONZE OR SATIN BRASS WITH FRITTED GLASS AND SHADE

ITEM NO. LI398

CIELO PENDANT LARGE

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 385 x 85 mm (dia x h)

WEIGHT

4.5kg (9.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 225 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 8w - 2700k

110-130v - integrated LED - 8w - 2700k

LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard


DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request


CEILING ROSE / PLATE

round ceiling rose - ø 45 x 120 mm (dia x h)


CERTIFICATION



mounting plate dimensions



North America junction box cover



*Diagrams are not to scale.

CIELO PENDANT LARGE - DALI-A

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 385 x 85 mm (dia x h)

WEIGHT

4.5kg (9.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 225 mm

supplied with 1000mm drop rod (12.7mm dia) as standard
(adjustable on site)

ILLUMINATION

220-240v - integrated LED - 8w - 2700k

DALI LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 45 x 120 mm (dia x h)


CERTIFICATION



mounting plate dimensions



DALI LED driver dimensions



*Diagrams are not to scale.

CIELO PENDANT LARGE - DALI-B

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 385 x 85 mm (dia x h)

WEIGHT

4.5kg (9.9lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 140 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 8w - 2700k

DALI LED driver to be installed in the ceiling rose



DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

CIELO PENDANT LARGE

CIELO PENDANT LARGE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CIEPELBZFG-240	bronze with handmade fritted glass	220 - 240V
CIEPELSBFG-240	satin brass with handmade fritted glass	220 - 240V
CIEPELBZFG-110	bronze with handmade fritted glass	110 - 130V
CIEPELSBFG-110	satin brass with handmade fritted glass	110 - 130V

CIELO PENDANT LARGE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPELBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CIEPELSBFG-DALIA-240	satin brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

CIELO PENDANT LARGE - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPELBZFG-DALIB-240	bronze with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
CIEPELSBFG-DALIB-240	satin brass with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V

CIELO PENDANT SMALL

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 315 x 85 mm (dia x h)

WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 225 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 8w - 2700k

110-130v - integrated LED - 8w - 2700k

LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard



DALI option available (220-240v only)

0/1-10v (220-240v or 110-130v) - on request


CEILING ROSE / PLATE

round ceiling rose - ø 45 x 120 mm (dia x h)


CERTIFICATION



mounting plate dimensions



North America junction box cover



*Diagrams are not to scale.

CIELO PENDANT SMALL - DALI-A

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 315 x 85 mm (dia x h)

WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 225 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 8w - 2700k

DALI LED driver to be installed in the ceiling cavity

drivers must be installed up to 20 meters from the body of the light


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 45 x 120 mm (dia x h)


CERTIFICATION



mounting plate dimensions



DALI LED driver dimensions



*Diagrams are not to scale.

CIELO PENDANT SMALL - DALI-B

FINISH

bronze with handmade fritted glass
satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

ø 315 x 85 mm (dia x h)

WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 140 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

integrated LED - 8w - 2700k

DALI LED driver to be installed in the ceiling rose



DIMMING

Dali compatible


CEILING ROSE / PLATE

round ceiling rose - ø 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

CIELO PENDANT SMALL

CIELO PENDANT SMALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CIEPESBZFG-240	bronze with handmade fritted glass	220 - 240V
CIEPESSBFG-240	satin brass with handmade fritted glass	220 - 240V
CIEPESBZFG-110	bronze with handmade fritted glass	110 - 130V
CIEPESSBFG-110	satin brass with handmade fritted glass	110 - 130V

CIELO PENDANT SMALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPESBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CIEPESSBFG-DALIA-240	satin brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

CIELO PENDANT SMALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CIEPESBZFG-DALIB-240	bronze with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
CIEPESSBFG-DALIB-240	satin brass with handmade fritted glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V