

# ROOM

WWW.ROOMONLINE.COM



---

CLOUDESLEY MEDIUM

15" x 36"

SATIN BRASS OR BRONZE WITH OPAL GLASS SHADES

ITEM NO. LI348

## CLOUDESLEY CHANDELIER MEDIUM

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 920 x 450 mm (dia x h)

### WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 495 mm  
supplied with 1000mm drop rod (16mm dia) as standard  
(adjustable on site)

### ILLUMINATION

220-240v - 7 x E27 - 60w max (or 8w LED 2700k)  
110-130v - 7 x E26 - 60w max (or 8w LED 2700k)



### DIMMING

dimnable bulb required  
trailing edge dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)

### CEILING ROSE / PLATE


round ceiling rose - ø 116 x 25 mm (dia x h)

### CERTIFICATION





### mounting plate dimensions

#### 220-240v



#### 110-130v



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER MEDIUM - DALI-A

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 920 x 450 mm (dia x h)

### WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 495 mm

supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 7 x E27 - 60w max (or 8w LED 2700k)

DALI converter to be installed in the cavity

### DIMMING



dimmable bulb required

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



DALI converter dimensions



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER MEDIUM - DALI-B

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 920 x 450 mm (dia x h)

### WEIGHT

20kg (44.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 500 mm  
supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 7 x E27 - 60w max (or 8w LED 2700k)  
DALI converter to be installed in the ceiling rose


### DIMMING

dimmable bulb required  
DALI compatible

### CEILING ROSE / PLATE

round ceiling rose - ø 204 x 30 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER MEDIUM

### CLOUDESLEY CHANDELIER MEDIUM

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CLOCHMBZMO-240	bronze with matt opal glass	220 - 240V
CLOCHMSBMO-240	satin brass with matt opal glass	220 - 240V
CLOCHMBZMO-110	bronze with matt opal glass	110 - 130V
CLOCHMSBMO-110	satin brass with matt opal glass	110 - 130V

### CLOUDESLEY CHANDELIER MEDIUM - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CLOCHMBZMO-DALIA-240	bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CLOCHMSBMO-DALIA-240	satin brass with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### CLOUDESLEY CHANDELIER MEDIUM - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CLOCHMBZMO-DALIB-240	bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity.	220 - 240V
CLOCHMSBMO-DALIB-240	satin brass with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity.	220 - 240V