

# ROOM

WWW.ROOMONLINE.COM



---

CLOUDESLEY SMALL

15" x 33"

SATIN BRASS OR BRONZE WITH OPAL GLASS SHADES

ITEM NO. LI348

## CLOUDESLEY CHANDELIER SMALL

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 850 x 450 mm (dia x h)

### WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 495 mm

supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k)

110-130v - 4 x E26 - 60w max (or 8w LED 2700k)

### DIMMING

dimmable bulb required



trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER SMALL - DALI-A

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 850 x 450 mm (dia x h)

### WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 495 mm  
supplied with 1000mm drop rod (16mm dia) as standard  
(adjustable on site)

### ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k)  
DALI converter to be installed in the cavity



### DIMMING

dimmable bulb required  
DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



DALI converter dimensions



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER SMALL - DALI-B

### FINISH

bronze with matt opal glass  
satin brass with matt opal glass

### DIMENSIONS (body of fixture)

ø 850 x 450 mm (dia x h)

### WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 500 mm  
supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 4 x E27 - 60w max (or 8w LED 2700k)  
DALI converter to be installed in the ceiling rose



### DIMMING

dimmable bulb required  
DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - ø 204 x 30 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## CLOUDESLEY CHANDELIER SMALL

### CLOUDESLEY CHANDELIER SMALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CLOCHSBZMO-240	bronze with matt opal glass	220 - 240V
CLOCHSSBMO-240	satın brass with matt opal glass	220 - 240V
CLOCHSBZMO-110	bronze with matt opal glass	110 - 130V
CLOCHSSBMO-110	satın brass with matt opal glass	110 - 130V

### CLOUDESLEY CHANDELIER SMALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CLOCHSBZMO-DALIA-240	bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
CLOCHSSBMO-DALIA-240	satın brass with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### CLOUDESLEY CHANDELIER SMALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
CLOCHSBZMO-DALIB-240	bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity.	220 - 240V
CLOCHSSBMO-DALIB-240	satın brass with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity.	220 - 240V