ROOM

WWW.ROOMONLINE.COM







AVALON TRIPLE CHANDELIER

DIMENSIONS: OUTER RING: 51"D x 3"H / MIDDLE RING: 40"D x 3"H / INNER RING: 25"D x 3"H. OVERALL HEIGHT TO ORDER.

SATIN BRASS OR BRONZE WITH ALABASTER AND STAINLESS STEEL CABLES ITEM NO. LI389



CTOLIGHTING

AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h) ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

95kg (209.5lbs) additional support around junction box required for installation

OVERALL DROP

minimum 995 mm maximum on request 5080 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 38w + 67W + 89w - 2700k 3 x LED drivers to be installed in the cavity driver can be placed up to 2m away from the ceiling plate

DIMMING


trailing edge dimmable Dali option available (220-240v only)


CEILING ROSE / PLATE

round ceiling plate - ø 180 x 10 mm (dia x h)


CERTIFICATION








mounting plate dimensions



LED driver dimensions



^{*}Diagrams are not to scale.



CTOLIGHTING

AVALON CHANDELIER TRIPLE CEILING ROSE

FINISH

satin brass finish with alabaster bronze finish with alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h) ø 1010 x 70 mm (dia x h) ø 1300 x 70 mm (dia x h)

WEIGHT

96kg (211.6lbs) additional support around junction box required for installation

OVERALL DROP

minimum 1020 mm maximum on request 5145 mm supplied with 2500 mm suspension cables

ILLUMINATION

integrated LED - 38w + 67w + 89w - 2700k $3 \times LED$ driver to be installed in the ceiling rose

DIMMING


trailing edge dimmable Dali option available (220-240v only)


CEILING ROSE / PLATE


round ceiling rose - \emptyset 240 x 75 mm (dia x h)











^{*}Diagrams are not to scale.