

ROOM

WWW.ROOMONLINE.COM



BRONZE WITH CLEAR KILN GLASS



BRONZE WITH BRONZE KILN GLASS

CONTOUR SCONCE

DIMENSIONS: 7.9" W x 3.9" D x 29.5" H

MATERIALS / FINISHES: ANTIQUE BRONZE WITH CLEAR OR BRONZE KILN GLASS

LAMPING: 220-240V - INTEGRATED LED - 19W - 2700K

110-130V - INTEGRATED LED - 19W - 2700K

ITEM NO. LI513

CONTOUR WALL

FINISH

antique bronze with clear kiln glass
antique bronze with bronze kiln glass

DIMENSIONS (body of fixture)

200 x 100 x 750 mm (l x w x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

ILLUMINATION

220-240v - integrated LED - 19w - 2700k

110-130v - integrated LED - 19w - 2700k

LED driver integrated in the body of the light

our bathroom lights are IP44 rated for 220V-240V only

the lights are not damp rated for 110-130v

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard


DALI op-tion available (220-240v only)

0/1-10v (220-240v) - on request

WALL ROSE / PLATE

wall plate - 480mm x 57mm

CERTIFICATION



*Diagrams are not to scale.

CONTOUR WALL DALI A

FINISH

antique bronze with clear kiln glass
antique bronze with bronze kiln glass

DIMENSIONS (body of fixture)

200 x 100 x 750 mm (l x w x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

ILLUMINATION

220-240v - integrated LED - 19w - 2700k

DALI LED driver must be installed a minimum of 0.5m away from the body of the light, up to 20 meters


DIMMING

DALI Compatible

WALL ROSE / PLATE

wall plate - 480mm x 57mm

CERTIFICATION



*Diagrams are not to scale.

CONTOUR WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CONWAOABCK-240	antique bronze with clear kiln glass	220 - 240V
CONWAOABCK-DALIA-240	antique bronze with clear kiln glass	220 - 240V
CONWAOABCK-110	antique bronze with clear kiln glass	110 - 130V
CONWAOABBK-240	antique bronze with bronze kiln glass	220 - 240V
CONWAOABBK-DALIA-240	antique bronze with bronze kiln glass	220 - 240V
CONWAOABBK-110	antique bronze with bronze kiln glass	110 - 130V