

# ROOM

WWW.ROOMONLINE.COM



---

## IVY PENDANT 4

BRONZE ARMATURE WITH BRONZE OR SATIN BRASS DETAILS, BRONZE CANOPY, AND GLASS SHADES EITHER IN OPAQUE SHINY OPAL OR SMOKE GREY.

51" MIN. OVERALL HEIGHT, 78.8" MAX. OVERALL HEIGHT, x 30"W

LAMPING: 4X E12 25W (OR 4.5W LED 2700K)

ITEM NO. LI274

## IVY VERTICAL 4 PENDANT

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

750 x 400 x 1250 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1295 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700k)

110-130v - 4 x E12 - 25w max (or 4.5w LED 2700k)

### DIMMING

dimmable bulb required


trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## IVY VERTICAL 4 PENDANT - DALI-A

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

750 x 400 x 1250 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)  
 please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1295 mm  
 please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700k)  
 DALI converter to be installed in the cavity



### DIMMING

dimmable bulb required  
 DALI compatible


### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)


### CERTIFICATION



### mounting plate dimensions



### DALI converter dimensions



\*Diagrams are not to scale.

## IVY VERTICAL 4 PENDANT - DALI-B

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

750 x 400 x 1250 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1305 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700K)

DALI converter to be installed in the ceiling rose

### DIMMING


dimmable bulb required

DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  140 x 35 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## IVY VERTICAL 4 PENDANT

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

750 x 400 x 1250 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1295 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700k)

110-130v - 4 x E12 - 25w max (or 4.5w LED 2700k)

### DIMMING

dimmable bulb required


trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## IVY VERTICAL 4 PENDANT

### IVY VERTICAL 4 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
IVYPE4BZBZOG-240	bronze with bronze details and shiny opal glass	220 - 240V
IVYPE4BZBZSG-240	bronze with bronze details and smoked glass	220 - 240V
IVYPE4BZSBOG-240	bronze with satin brass details and shiny opal glass	220 - 240V
IVYPE4BZSBSG-240	bronze with satin brass details and smoked glass	220 - 240V
IVYPE4BZBZOG-110	bronze with bronze details and shiny opal glass	110 - 130V
IVYPE4BZBZSG-110	bronze with bronze details and smoked glass	110 - 130V
IVYPE4BZSBOG-110	bronze with satin brass details and shiny opal glass	110 - 130V
IVYPE4BZSBSG-110	bronze with satin brass details and smoked glass	110 - 130V

### IVY VERTICAL 4 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
IVYPE4BZBZOG-DALIA-240	bronze with bronze details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE4BZBZSG-DALIA-240	bronze with bronze details and smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE4BZSBOG-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE4BZSBSG-DALIA-240	bronze with satin brass details and smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V

### IVY VERTICAL 4 PENDANT - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
IVYPE4BZBZOG-DALIB-240	bronze with bronze details and shiny opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE4BZBZSG-DALIB-240	bronze with bronze details and smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE4BZSBOG-DALIB-240	bronze with satin brass details and shiny opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE4BZSBSG-DALIB-240	bronze with satin brass details and smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V