

ROOM

WWW.ROOMONLINE.COM



NIMBUS PENDANT

HANDMADE GLASS WITH SATIN BRASS, ANTIQUE BRONZE, OR BRONZE
63 W" X 37 D" X 42"H INCLUDING THE MINIMUM DROP STEM OF 4".

TAKES 8 E26 BASE 60W BULBS

ITEM NO. LI211

NIMBUS CHANDELIER MEDIUM

FINISH

antique bronze with handmade fritted glass
 bronze with handmade fritted glass
 satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

1190 x 710 x 650 mm (w x d x h)

WEIGHT

42kg (92.6lbs)
 please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 750 mm
 supplied with 1000mm drop rod (25.4mm dia) as standard
 (adjustable on site)

ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700k)
 110-130v - 4 x E12 - 25w max (or 4.5w LED 2700k)



DIMMING

dimnable bulb required
 trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - \varnothing 204 x 30 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

NIMBUS CHANDELIER MEDIUM - DALI-A

FINISH

antique bronze with handmade fritted glass
 bronze with handmade fritted glass
 satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

1190 x 710 x 650 mm (w x d x h)

WEIGHT

42kg (92.6lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 750 mm

supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 4 x E14 - 25w max (or 4.5w LED 2700k)

DALI converter to be installed in the ceiling rose

DIMMING



dimnable bulb required

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 204 x 30 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

NIMBUS CHANDELIER MEDIUM

NIMBUS CHANDELIER MEDIUM

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
NIMCHMABFG-240	antique bronze with handmade fritted glass	220 - 240V
NIMCHMBZFG-240	bronze with handmade fritted glass	220 - 240V
NIMCHMSBFG-240	satın brass with handmade fritted glass	220 - 240V
NIMCHMABFG-110	antique bronze with handmade fritted glass	110 - 130V
NIMCHMBZFG-110	bronze with handmade fritted glass	110 - 130V
NIMCHMSBFG-110	satın brass with handmade fritted glass	110 - 130V

NIMBUS CHANDELIER MEDIUM - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
NIMCHMABFG-DALIA-240	antique bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V
NIMCHMBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V
NIMCHMSBFG-DALIA-240	satın brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V

NIMBUS CHANDELIER LARGE

FINISH

antique bronze with handmade fritted glass
 bronze with handmade fritted glass
 satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

1590 x 900 x 870 mm (w x d x h)

WEIGHT

55kg (121.3lbs)
 please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 970 mm
 supplied with 1000mm drop rod (25.4mm dia) as standard
 (adjustable on site)

ILLUMINATION

220-240v - 8 x E27 - 60w max (or 8w LED 2700k)
 110-1300v - 8 x E26 - 60w max (or 8w LED 2700k)



DIMMING

dimnable bulb required
 trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - \varnothing 204 x 30 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

NIMBUS CHANDELIER LARGE - DALI-A

FINISH

antique bronze with handmade fritted glass
 bronze with handmade fritted glass
 satin brass with handmade fritted glass

DIMENSIONS (body of fixture)

1590 x 900 x 870 mm (w x d x h)

WEIGHT

55kg (121.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 970 mm

supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 8 x E27 - 60w max (or 8w LED 2700k)

DALI converter to be installed in the ceiling rose

DIMMING


dimnable bulb required

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - \varnothing 204 x 30 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

NIMBUS CHANDELIER LARGE

NIMBUS CHANDELIER LARGE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
NIMCHLABFG-240	antique bronze with handmade fritted glass	220 - 240V
NIMCHLBZFG-240	bronze with handmade fritted glass	220 - 240V
NIMCHLSBFG-240	satın brass with handmade fritted glass	220 - 240V
NIMCHLABFG-110	antique bronze with handmade fritted glass	110 - 130V
NIMCHLBZFG-110	bronze with handmade fritted glass	110 - 130V
NIMCHLSBFG-110	satın brass with handmade fritted glass	110 - 130V

NIMBUS CHANDELIER LARGE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
NIMCHLABFG-DALIA-240	antique bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V
NIMCHLBZFG-DALIA-240	bronze with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V
NIMCHLSBFG-DALIA-240	satın brass with handmade fritted glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the existent ceiling/wall rose	220 - 240V