

ROOM

WWW.ROOMONLINE.COM



RING WALL SCONCE

12"H X 5"D X 5"W

ANTIQUE BRONZE, BRONZE, SATIN BRASS OR NICKEL

ITEM NO. LI245

RING WALL

FINISH

antique bronze with satin brass details
bronze with satin brass details
satin brass with satin brass details
satin nickel with satin brass details

DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

WEIGHT

4kg (8.8lbs)

ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)
110-130v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)

DIMMING

dimnable bulb required
trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)


WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

RING WALL - DALI-A

FINISH

antique bronze with satin brass details
bronze with satin brass details
satin brass with satin brass details
satin nickel with satin brass details

DIMENSIONS (body of fixture)

120 x 130 x 300 mm (w x d x h)

WEIGHT

4kg (8.8lbs)

ILLUMINATION

220-240v - 2 x G9 - 25w max halogen (or 2.3w LED 2700k)
DALI converter to be installed in the cavity

DIMMING

dimnable bulb required
DALI compatible


WALL ROSE / PLATE

rectangular wall box - 40 x 15 x 270 mm (w x d x h)



CERTIFICATION



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

RING WALL

RING WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
RINWAOABSB-240	antique bronze with satin brass details	220 - 240V
RINWAOBZSB-240	bronze with satin brass details	220 - 240V
RINWAOBSB-240	satin brass with satin brass details	220 - 240V
RINWAOANSB-240	satin nickel with satin brass details	220 - 240V
RINWAOABSB-110	antique bronze with satin brass details	110 - 130V
RINWAOBZSB-110	bronze with satin brass details	110 - 130V
RINWAOBSB-110	satin brass with satin brass details	110 - 130V
RINWAOANSB-110	satin nickel with satin brass details	110 - 130V

RING WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
RINWAOABSB-DALIA-240	antique bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBZSB-DALIA-240	bronze with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOBSB-DALIA-240	satin brass with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
RINWAOANSB-DALIA-240	satin nickel with satin brass details	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V