

# ROOM

WWW.ROOMONLINE.COM



---

TREVI MULTI PENDANT 3

ANTIQUE BRONZE, BRONZE, OR SATIN BRASS WITH MATTE OPAL GLASS SHADES

43"W x 12H" + 14.7" MIN. DROP

TAKES 120V -- 3X E12 BASE BULBS, 25W MAX. 240V -- 3X E14 BASE BULBS, 25W

MAX. ITEM NO. LI344

## TREVI PENDANT SMALL

### FINISH

antique bronze with matt opal glass  
 bronze with matt opal glass  
 satin brass with matt opal glass

### DIMENSIONS (body of fixture)

1100 x 950 x 265 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)  
 please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 375 mm  
 supplied with 1000mm drop rod (12.7mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)  
 110-130v - 3 x E12 - 25w max (or 4.5w LED 2700k)


### DIMMING

dimnable bulb required  
 trailing edge dimmable / phase cut (rotary dimmer) - standard  
 DALI option available (220-240v only)

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## TREVI PENDANT SMALL - DALI-A

### FINISH

antique bronze with matt opal glass  
 bronze with matt opal glass  
 satin brass with matt opal glass

### DIMENSIONS (body of fixture)

1100 x 950 x 265 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 375 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)

DALI converter to be installed in the ceiling rose

### DIMMING


dimmable bulb required

DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## TREVI PENDANT SMALL - DALI-B

### FINISH

antique bronze with matt opal glass  
 bronze with matt opal glass  
 satin brass with matt opal glass

### DIMENSIONS (body of fixture)

1100 x 950 x 265 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 385 mm

supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)

DALI converter to be installed in the ceiling rose

### DIMMING


dimmable bulb required

DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  140 x 35 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## TREVI PENDANT SMALL

### TREVI PENDANT SMALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
TREPESABMO-240	antique bronze with matt opal glass	220 - 240V
TREPESBZMO-240	bronze with matt opal glass	220 - 240V
TREPESBMO-240	satin brass with matt opal glass	220 - 240V
TREPESABMO-110	antique bronze with matt opal glass	110 - 130V
TREPESBZMO-110	bronze with matt opal glass	110 - 130V
TREPESBMO-110	satin brass with matt opal glass	110 - 130V

### TREVI PENDANT SMALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
TREPESABMO-DALIA-240	antique bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
TREPESBZMO-DALIA-240	bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
TREPESBMO-DALIA-240	satin brass with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V

### TREVI PENDANT SMALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
TREPESABMO-DALIB-240	antique bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
TREPESBZMO-DALIB-240	bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
TREPESBMO-DALIB-240	satin brass with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V