

ROOM

WWW.ROOMONLINE.COM



TREVI MULTI PENDANT 6

ANTIQUE BRONZE, BRONZE, OR SATIN BRASS WITH MATTE OPAL GLASS SHADES

25.2" W 66.5" D 15.7" H+ 4" MIN. DROP

TAKES 120V -- 6X E12 BASE BULBS, 25W MAX. 240V -- 6X E14 BASE BULBS, 25W MAX.

ITEM NO. LI344

TREVI PENDANT MULTI 6

FINISH

antique bronze with matt opal glass
 bronze with matt opal glass
 satin brass with matt opal glass

DIMENSIONS (body of fixture)

640 x 1690 x 400 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 505 mm

supplied with 2 X 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k)

110-130v - 6 x E12 - 25w max (or 4.5w LED 2700k)

DIMMING

dimnable bulb required





trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

TREVI PENDANT MULTI 6 - DALI-A

FINISH

antique bronze with matt opal glass
 bronze with matt opal glass
 satin brass with matt opal glass

DIMENSIONS (body of fixture)

640 x 1690 x 400 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 505 mm

supplied with 2 X 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k)

DALI converter to be installed in the cavity

DIMMING


dimnable bulb required

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)


CERTIFICATION



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

TREVI PENDANT MULTI 6 - DALI-B

FINISH

antique bronze with matt opal glass
 bronze with matt opal glass
 satin brass with matt opal glass

DIMENSIONS (body of fixture)

640 x 1690 x 400 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 515 mm

supplied with 2 X 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k)

DALI converter to be installed in the ceiling rose

DIMMING



dimmable bulb required

DALI compatible




CEILING ROSE / PLATE

round ceiling rose - \varnothing 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

TREVI PENDANT MULTI 6

TREVI PENDANT MULTI 6

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
TREPE6ABMO-240	antique bronze with matt opal glass	220 - 240V
TREPE6BZMO-240	bronze with matt opal glass	220 - 240V
TREPE6SBMO-240	satin brass with matt opal glass	220 - 240V
TREPE6ABMO-110	antique bronze with matt opal glass	110 - 130V
TREPE6BZMO-110	bronze with matt opal glass	110 - 130V
TREPE6SBMO-110	satin brass with matt opal glass	110 - 130V

TREVI PENDANT MULTI 6 - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
TREPE6ABMO-DALIA-240	antique bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
TREPE6BZMO-DALIA-240	bronze with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V
TREPE6SBMO-DALIA-240	satin brass with matt opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose	220 - 240V

TREVI PENDANT MULTI 6 - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
TREPE6ABMO-DALIB-240	antique bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
TREPE6BZMO-DALIB-240	bronze with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
TREPE6SBMO-DALIB-240	satin brass with matt opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V