

ROOM

WWW.ROOMONLINE.COM



ANVERS PENDANT

LARGE: 21.4"W X 2.7"H. MEDIUM: 13.2"W X 2.7"H. SMALL: 7.7"W X 2.7"H. OAH TO ORDER

ANTIQUÉ BRONZE, BRONZE OR SATIN BRASS WITH HONED ALABASTER

LAMPING: INTEGRATED LED , 40W, 300K

ITEM NO. LI396

ANVERS PENDANT SMALL

FINISH

antique bronze with honed alabaster
 bronze with honed alabaster
 satin brass with honed alabaster

DIMENSIONS (body of fixture)

∅ 195 x 48 mm (dia x h)

WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 103 mm

supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 10.5w - 3000K (modified to 2700k)

110-130v - integrated LED - 10.5w - 3000K (modified to 2700k)

LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard


DALI option available (220-240v only)

0/1-10v (220-240v) - on request

CEILING ROSE / PLATE

round ceiling rose - ∅ 140 X 35 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

ANVERS PENDANT SMALL - DALI-A

FINISH

antique bronze with honed alabaster
 bronze with honed alabaster
 satin brass with honed alabaster

DIMENSIONS (body of fixture)

∅ 195 x 48 mm (dia x h)

WEIGHT

3.5kg (7.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 103 mm

supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 17w - 3000K (modified to 2700k)

DALI LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light



DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ∅ 140 X 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ANVERS PENDANT SMALL

ANVERS PENDANT SMALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ANVPESABHA-240	antique bronze with honed alabaster	220 - 240V
ANVPESBZHA-240	bronze with honed alabaster	220 - 240V
ANVPESBHA-240	satın brass with honed alabaster	220 - 240V
ANVPESABHA-110	antique bronze with honed alabaster	110 - 130V
ANVPESBZHA-110	bronze with honed alabaster	110 - 130V
ANVPESBHA-110	satın brass with honed alabaster	110 - 130V

ANVERS PENDANT SMALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ANVPESABHA-DALIA-240	antique bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANVPESBZHA-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANVPESBHA-DALIA-240	satın brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V

ANVERS PENDANT MEDIUM

FINISH

antique bronze with honed alabaster
bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

∅ 335 x 48 mm (dia x h)

WEIGHT

9kg (19.8lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 103 mm

supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 17w - 3000K (modified to 2700k)

110-130v - integrated LED - 17w - 3000K (modified to 2700k)LED

driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard


DALI option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

round ceiling rose - ∅ 140 X 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ANVERS PENDANT MEDIUM - DALI-A

FINISH

antique bronze with honed alabaster
bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 335 x 48 mm (dia x h)

WEIGHT

9kg (19.8lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 103 mm

supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 17w - 3000K (modified to 2700k)

DALI LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 140 X 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ANVERS PENDANT MEDIUM

ANVERS PENDANT MEDIUM

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ANVPEMABHA-240	antique bronze with honed alabaster	220 - 240V
ANVPEMBZHA-240	bronze with honed alabaster	220 - 240V
ANVPEMSBHA-240	satın brass with honed alabaster	220 - 240V
ANVPEMABHA-110	antique bronze with honed alabaster	110 - 130V
ANVPEMBZHA-110	bronze with honed alabaster	110 - 130V
ANVPEMSBHA-110	satın brass with honed alabaster	110 - 130V

ANVERS PENDANT MEDIUM - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ANVPEMABHA-DALIA-240	antique bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANVPEMBZHA-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANVPEMSBHA-DALIA-240	satın brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V

ANVERS PENDANT LARGE

FINISH

antique bronze with honed alabaster
bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 545 x 48 mm (dia x h)

WEIGHT

25kg (55.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 108 mm

supplied with 3 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 24w - 3000K (modified to 2700k)

110-130v - integrated LED - 24w - 3000K (modified to 2700k)

LED driver to be installed in the ceiling rose

Drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard


DALI option available (220-240v only)

0/1-10v (220-240v) - on request


CEILING ROSE / PLATE

round ceiling rose - ø 335 x 40 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ANVERS PENDANT LARGE - DALI-A

FINISH

antique bronze with honed alabaster
bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 545 x 48 mm (dia x h)

WEIGHT

25kg (55.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 108 mm

supplied with 3 x 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 24w - 3000K (modified to 2700k)

DALI LED driver to be installed in the ceiling rose

drivers must be installed up to 20 meters from the body of the light


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 335 x 40 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ANVERS PENDANT LARGE

ANVERS PENDANT LARGE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ANVPELABHA-240	antique bronze with honed alabaster	220 - 240V
ANVPELBZHA-240	bronze with honed alabaster	220 - 240V
ANPELSBHA-240	satin brass with honed alabaster	220 - 240V
ANVPELABHA-110	antique bronze with honed alabaster	110 - 130V
ANVPELBZHA-110	bronze with honed alabaster	110 - 130V
ANPELSBHA-110	satin brass with honed alabaster	110 - 130V

ANVERS PENDANT LARGE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ANVPELABHA-DALIA-240	antique bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANVPELBZHA-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V
ANPELSBHA-DALIA-240	satin brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on existent ceiling/wall rose	220 - 240V