

ROOM

WWW.ROOMONLINE.COM



ARRAY OPAL LARGE PENDANT

DIMENSIONS: 102.4"W X 102.4"D X 41.3"H

MATERIALS / FINISHES: BRONZE WITH SATIN BRASS DETAIL OR FULL BRONZE AND OPAL GLASS SHADES

LAMPING: 11 X G9 HALOGEN, 25W MAX OR 2.3 LED 2700K

ITEM NO. LI234

ARRAY PENDANT MEDIUM

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

1725 x 1725 x 800 mm (w x d x h)

WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 800 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 7 x G9 - 25w (or 2.5w 2700k)

110-130v - 7 x G9 - 25w (or 2.5w 2700k)

DIMMING

dimnable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)



CERTIFICATION



mounting plate dimensions



1725mm (67.9)



*Diagrams are not to scale.

ARRAY PENDANT MEDIUM - DALI-A

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

1725 x 1725 x 800 mm (w x d x h)

WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 800 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 7 x G9 - 25w (or 2.5w 2700k)

DALI converter to be installed in the cavity

DIMMING


dimmable bulb required

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

ARRAY PENDANT MEDIUM - EXTENSION KIT

FINISH

bronze with bronze details
bronze with satin brass details

DIMENSIONS (length of the extension)

1000 mm


OVERALL DROP

standard size 1000 mm
minimum recommended 300 mm
please specify the required overall drop from the ceiling to
the bottom of the fitting (not adjustable on site)

CERTIFICATION



150mm (5.9)



1000mm (39.3)



*Diagrams are not to scale.

ARRAY PENDANT MEDIUM

ARRAY PENDANT MEDIUM

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARRPEMBZBZOG-240	bronze with bronze details and shiny opal glass	220 - 240V
ARRPEMBZSBOG-240	bronze with satin brass details and shiny opal glass	220 - 240V
ARRPEMBZBZOG-110	bronze with bronze details and shiny opal glass	110 - 130v
ARRPEMBZSBOG-110	bronze with satin brass details and shiny opal glass	110 - 130v

ARRAY PENDANT MEDIUM - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARRPEMBZBZOG-DALIA-240	bronze with bronze details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity.	220 - 240V
ARRPEMBZSBOG-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity.	220 - 240V

ARRAY PENDANT MEDIUM - EXTENSION KIT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ACCGENEXOMBZBZ	bronze with bronze details	220 - 240V
ACCGENEXOMBZSB	bronze with satin brass details	220 - 240V

ARRAY PENDANT LARGE

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1100 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)

110-130v - 11 x G9 - 25w (or 2.5w 2700k)

DIMMING

dimmable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)




CEILING ROSE / PLATE

round ceiling rose - \varnothing 150 x 40 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ARRAY PENDANT LARGE - DALI-A

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1100 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)

DALI converter to be installed in the ceiling rose

DIMMING

dimnable bulb required

DALI compatible




CEILING ROSE / PLATE

round ceiling rose - \varnothing 150 x 40 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

ARRAY PENDANT LARGE - EXTENSION KIT

FINISH

bronze with bronze details
bronze with satin brass details

DIMENSIONS (length of the extension)

1000 mm


OVERALL DROP

standard size 1000 mm
minimum recommended 300 mm
please specify the required overall drop from the ceiling to
the bottom of the fitting (not adjustable on site)

CERTIFICATION



150mm (5.9)



1000mm (39.3)

*Diagrams are not to scale.

ARRAY PENDANT LARGE

ARRAY PENDANT LARGE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARRPELBZBZOG-240	bronze with bronze details and shiny opal glass	220 - 240V
ARRPELBZSBOG-240	bronze with satin brass details and shiny opal glass	220 - 240V
ARRPELBZBZOG-110	bronze with bronze details and shiny opal glass	110 - 130v
ARRPELBZSBOG-110	bronze with satin brass details and shiny opal glass	110 - 130v

ARRAY PENDANT LARGE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARRPELBZBZOG-DALIA-240	bronze with bronze details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. DALI can be fitted on the existent ceiling/wall rose	220 - 240V
ARRPELBZSBOG-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. DALI can be fitted on the existent ceiling/wall rose	220 - 240V

ARRAY PENDANT LARGE - EXTENSION KIT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ACCGENEXOLBZBZ	bronze with bronze details	220 - 240V
ACCGENEXOLBZSB	bronze with satin brass details	220 - 240V