

ROOM

WWW.ROOMONLINE.COM



ARRAY OPAL MINI PENDANT

MATERIALS / FINISHES: BRONZE WITH SATIN BRASS DETAILS OR FULL BRONZE AND OPAL GLASS SHADES

DIMENSIONS: 29.5"W x 29.5"D x 16.7"H

LAMPING: 3 x G9, 25W MAX OR 2.5W LED 2700K

ITEM NO. LI243

ARRAY PENDANT MINI

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

750 x 750 x 425 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 425 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 3 x G9 - 25w (or 2.5w 2700k)

110-130v - 3 x G9 - 25w (or 2.5w 2700k)

DIMMING

dimmable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)



CERTIFICATION



mounting plate dimensions



750mm (29.5)



*Diagrams are not to scale.

ARRAY PENDANT MINI - DALI-A

FINISH

bronze with bronze details and shiny opal glass
bronze with satin brass details and shiny opal glass

DIMENSIONS (body of fixture)

750 x 750 x 425 mm (w x d x h)

WEIGHT

7kg (15.4lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 425 mm

please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

ILLUMINATION

220-240v - 3 x G9 - 25w (or 2.5w 2700k)

DALI converter to be installed in the ceiling rose

DIMMING

dimnable bulb required

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)



CERTIFICATION



mounting plate dimensions



750mm (29.5)



*Diagrams are not to scale.

ARRAY PENDANT MINI - EXTENSION KIT

FINISH

bronze with bronze details
bronze with satin brass details

DIMENSIONS (length of the extension)

1000 mm


OVERALL DROP

standard size 1000 mm
minimum recommended 300 mm
please specify the required overall drop from the ceiling to
the bottom of the fitting (not adjustable on site)

CERTIFICATION



150mm (5.9)



1000mm (39.3)



*Diagrams are not to scale.

ARRAY PENDANT MINI

ARRAY PENDANT MINI

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARRPESBZBZOG-240	bronze with bronze details and shiny opal glass	220 - 240V
ARRPESBZSBOG-240	bronze with satin brass details and shiny opal glass	220 - 240V
ARRPESBZBZOG-110	bronze with bronze details and shiny opal glass	110 - 130v
ARRPESBZSBOG-110	bronze with satin brass details and shiny opal glass	110 - 130v

ARRAY PENDANT MINI - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARRPESBZBZOG-DALIA-240	bronze with bronze details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose.	220 - 240V
ARRPESBZSBOG-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose.	220 - 240V

ARRAY PENDANT MINI - EXTENSION KIT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ACCGENEXOSBZBZ	bronze with bronze details	220 - 240V
ACCGENEXOSBZSB	bronze with satin brass details	220 - 240V