

# ROOM

WWW.ROOMONLINE.COM



---

## CASCATA CHANDELIER

49.2"L x 47.1"D x 25.2"H; 7.9" MIN. DROP HEIGHT

FINISHES: SATIN BRASS, BRONZE, OR POLISHED NICKEL ARMATURE WITH WAVY KILN GLASS PANELS AND STAINLESS STEEL CABLES

LAMPING: 240V (AC 50HZ) / 120V (AC 60HZ) INTEGRATED 50W 2700K TRAILING EDGE DIMMABLE LED

ITEM NO. LI471

# ROOM

WWW.ROOMONLINE.COM

## FINISH

satin brass finish with wavy kiln glass  
bronze finish with wavy kiln glass  
polished nickel finish with wavy kiln glass

## DIMENSIONS (body of fixture)

1250 x 1195 x 640 mm (w x d x h)

## WEIGHT

40kg (88.2lbs)  
additional support on the ceiling, or around junction box,  
is required for installation

## OVERALL DROP

minimum 850 mm  
maximum on request 5650 mm  
supplied with 2500 mm suspension cables

## ILLUMINATION

integrated LED - 50w - 2700k  
LED driver to be installed in the cavity  
driver can be placed up to 2m away from the ceiling plate



## DIMMING

trailing edge dimmable  
dali option available (220-240v only)


## CEILING ROSE / PLATE

round ceiling plate -  $\phi$  160 x 10 mm (dia x h)


## CERTIFICATION



## mounting plate dimensions



## LED driver dimensions



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CASCHOBZWG-CM-240	Bronze finish with wavy kiln glass	220-240V
CASCHOSBWG-CM-240	Satin brass finish with wavy kiln glass	220-240V
CASCHOPNWG-CM-240	Polished nickel finish with wavy kiln glass	220-240V
CASCHOBZWG-CM-110	Bronze finish with wavy kiln glass	110-130V
CASCHOSBWG-CM-110	Satin brass finish with wavy kiln glass	110-130V
CASCHOPNWG-CM-110	Polished nickel finish with wavy kiln glass	110-130V

# ROOM

WWW.ROOMONLINE.COM

## FINISH

satin brass finish with wavy kiln glass  
bronze finish with wavy kiln glass  
polished nickel finish with wavy kiln glass

## DIMENSIONS (body of fixture)

1250 x 1195 x 640 mm (w x d x h)

## WEIGHT

40kg (88.2lbs)  
additional support on the ceiling, or around junction box,  
is required for installation

## OVERALL DROP

minimum 880 mm  
maximum on request 5680 mm  
supplied with 2500 mm suspension cables

## ILLUMINATION

integrated LED - 50w - 2700k  
LED driver to be installed in the ceiling rose


## DIMMING

trailing edge dimmable  
dali option available (220-240v only)

## CEILING ROSE / PLATE

round ceiling rose - ø 195 x 40 mm (dia x h)

## CERTIFICATION



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
CASCHOBZWG-CR-240	Bronze finish with wavy kiln glass	220-240V
CASCHOSBWG-CR-240	Satin brass finish with wavy kiln glass	220-240V
CASCHOPNWG-CR-240	Polished nickel finish with wavy kiln glass	220-240V
CASCHOBZWG-CR-110	Bronze finish with wavy kiln glass	110-130V
CASCHOSBWG-CR-110	Satin brass finish with wavy kiln glass	110-130V
CASCHOPNWG-CR-110	Polished nickel finish with wavy kiln glass	110-130V