


ROOM

WWW.ROOMONLINE.COM



MODULO GRID II CHANDELIER

ANTIQUE BRONZE, BRONZE, OR SATIN BRASS WITH SMOKED KILN CAST GLASS AND OPAL GLASS SHADES

DIMENSIONS: 65.6"W X 41.3"D X OAH

LAMPING: INTEGRATED LED, 49.5W, 2700K, TRAILING EDGE DIMMABLE

ITEM NO. LI426

MODULO CHANDELIER GRID 11

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1665 x 1050 x 100 mm (w x d x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 145 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 49.5w - 2700k

110-130v - integrated mains LED - 49.5w - 2700k


DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)

CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

MODULO CHANDELIER GRID 11 - DALI-A

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1665 x 1050 x 100 mm (w x d x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 145 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 49.5w - 2700k
 DALI converter to be installed in the ceiling cavity


DIMMING

DALI compatible

CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



*Diagrams are not to scale.

MODULO CHANDELIER GRID 11 - DALI-B

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1665 x 1050 x 100 mm (w x d x h)

WEIGHT

18kg (39.7lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 155 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 49.5w - 2700k
 DALI converter to be installed in the ceiling rose


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

MODULO CHANDELIER GRID 11

MODULO CHANDELIER GRID 11

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODCH11ABSKMO-240	antique bronze with smoked kiln cast glass and opal glass	220 - 240V
MODCH11BZSKMO-240	bronze with smoked kiln cast glass and opal glass	220 - 240V
MODCH11SBSKMO-240	satin brass with smoked kiln cast glass and opal glass	220 - 240V
MODCH11ABSKMO-110	antique bronze with smoked kiln cast glass and opal glass	110 - 130V
MODCH11BZSKMO-110	bronze with smoked kiln cast glass and opal glass	110 - 130V
MODCH11SBSKMO-110	satin brass with smoked kiln cast glass and opal glass	110 - 130V

MODULO CHANDELIER GRID 11 - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODCH11ABSKMO-DALIA-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODCH11BZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODCH11SBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

MODULO CHANDELIER GRID 11 - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODCH11ABSKMO-DALIB-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODCH11BZSKMO-DALIB-240	bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODCH11SBSKMO-DALIB-240	satin brass with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V