

ROOM

WWW.ROOMONLINE.COM



MODULO HORIZONTAL PENDANT

ANTIQUE BRONZE, BRONZE, OR SATIN BRASS WITH SMOKED KILN CAST GLASS AND OPAL GLASS SHADES

DIMENSIONS: 74"W X 4.7"D X OAH

LAMPING: INTEGRATED LED, 27W, 2700K, TRAILING EDGE DIMMABLE

ITEM NO. LI426

MODULO PENDANT HORIZONTAL

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1880 x 120 x 100 mm (w x d x h)

WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 145 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k

110-130v - integrated mains LED - 27w - 2700k



DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard
 DALI option available (220-240v only)



CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

MODULO PENDANT HORIZONTAL - DALI-A

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1880 x 120 x 100 mm (w x d x h)

WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 145 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k
 DALI converter to be installed in the ceiling cavity



DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 116 x 25 mm (dia x h)


CERTIFICATION



mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

MODULO PENDANT HORIZONTAL - DALI-B

FINISH

antique bronze with smoked kiln cast glass and opal glass
 bronze with smoked kiln cast glass and opal glass
 satin brass with smoked kiln cast glass and opal glass

DIMENSIONS (body of fixture)

1880 x 120 x 100 mm (w x d x h)

WEIGHT

11kg (24.3lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 155 mm

supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)

ILLUMINATION

220-240v - integrated mains LED - 27w - 2700k
 DALI converter to be installed in the ceiling rose


DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - \varnothing 140 x 35 mm (dia x h)

CERTIFICATION



mounting plate dimensions



*Diagrams are not to scale.

MODULO PENDANT HORIZONTAL

MODULO PENDANT HORIZONTAL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
MODPEHLABSKMO-240	antique bronze with smoked kiln cast glass and opal glass	220 - 240V
MODPEHLBZSKMO-240	bronze with smoked kiln cast glass and opal glass	220 - 240V
MODPEHLSBSKMO-240	satin brass with smoked kiln cast glass and opal glass	220 - 240V
MODPEHLABSKMO-110	antique bronze with smoked kiln cast glass and opal glass	110 - 130V
MODPEHLBZSKMO-110	bronze with smoked kiln cast glass and opal glass	110 - 130V
MODPEHLSBSKMO-110	satin brass with smoked kiln cast glass and opal glass	110 - 130V

MODULO PENDANT HORIZONTAL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEHLABSKMO-DALIA-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODPEHLBZSKMO-DALIA-240	bronze with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
MODPEHLSBSKMO-DALIA-240	satin brass with smoked kiln cast glass and opal glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

MODULO PENDANT HORIZONTAL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
MODPEHLABSKMO-DALIB-240	antique bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODPEHLBZSKMO-DALIB-240	bronze with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
MODPEHLSBSKMO-DALIB-240	satin brass with smoked kiln cast glass and opal glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V