

# ROOM

WWW.ROOMONLINE.COM



---

PENDULUM WALL / CEILING MOUNT

SATIN BRASS OR BRONZE WITH SMOKED GLASS

13" D X 6" H

LAMPING: INTEGRATED LED, 8W LED 2700K, TRAILING EDGE DIMMABLE

ITEM NO. LI417

## PENDULUM WALL

### FINISH

bronze with smoked glass  
satin brass with smoked glass

### DIMENSIONS (body of fixture)

ø 320 x 150 mm (dia x d)

### WEIGHT

5kg (11lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
110-130v - integrated LED - 8w - 2700k  
LED driver to be installed in the wall/ceiling rose  
drivers must be installed up to 20 meters from the body of the light



### DIMMING

trailing edge dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)  
0/1-10v (220-240v or 110-130v) - on request


### WALL ROSE / PLATE

rectangular wall box - ø 116 x 35 mm (dia x d)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## PENDULUM WALL - DALI-A

### FINISH

bronze with smoked glass  
satin brass with smoked glass

### DIMENSIONS (body of fixture)

ø 320 x 150 mm (dia x d)

### WEIGHT

5kg (11lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the wall/ceiling cavity  
drivers must be installed up to 20 meters from the body of the light



### DIMMING

DALI compatible


### WALL ROSE / PLATE

rectangular wall box - ø 116 x 35 mm (dia x d)


### CERTIFICATION



mounting plate dimensions



LED driver dimensions



\*Diagrams are not to scale.

## PENDULUM WALL - DALI-B

### FINISH

bronze with smoked glass  
satin brass with smoked glass

### DIMENSIONS (body of fixture)

ø 320 x 150 mm (dia x d)

### WEIGHT

5kg (11lbs)

### ILLUMINATION

220-240v - integrated LED - 8w - 2700k  
DALI LED driver to be installed in the wall/ceiling rose



### DIMMING

DALI compatible


### WALL ROSE / PLATE

rectangular wall box - ø 140 x 35 mm (dia x d)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## PENDULUM WALL

### PENDULUM WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
PENWAOBZSG-240	bronze with smoked glass	220 - 240V
PENWAOSBSG-240	satin brass with smoked glass	220 - 240V
PENWAOBZSG-110	bronze with smoked glass	110 - 130V
PENWAOSBSG-110	satin brass with smoked glass	110 - 130V

### PENDULUM WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
PENWAOBZSG-DALIA-240	bronze with smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
PENWAOSBSG-DALIA-240	satin brass with smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### PENDULUM WALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
PENWAOBZSG-DALIB-240	bronze with smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
PENWAOSBSG-DALIB-240	satin brass with smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V