

ROOM

WWW.ROOMONLINE.COM



AGED BRASS

NATURALLY UNCUT QUARTZ CRYSTALS

PROMETHEUS II LINEAR


LENGTH RANGING FROM 35.4" TO 94.5" L X 1.3' D X 3.9" H; 11.8" MIN DROP HEIGHT

AVAILABLE IN AGED BRASS, HAND RUBBED BRASS, DARK BRONZE, MOTTLED PATINA, AND POLISHED BRASS WITH NATURALLY UNCUT QUARTZ CRYSTALS.

LAMPING: 18W 24V WW 2700K DIMMABLE LED

ITEM NO. LI468

PROMETHEUS II LINEAR 900



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.900

Lamp:
24V LED WW 2700K

Lumens:
1391 LM

Voltage:
24V DC

Watts:
18 W

Weight:
Approx. 8 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:
AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf

* Stainless Steel has a different profile.

Suspension:
ROD Vertical Rod

Canopy:*
RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large

*Refer to Canopy Specification Guide

WARRANTY


3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.

If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

PROMETHEUS II LINEAR 1200



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.1200

Lamp:
24V LED WW 2700K

Lumens:
1854 LM

Voltage:
24V DC

Watts:
23 W

Weight:
Approx. 10 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:

AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf

* Stainless Steel has a different profile.

Suspension:

ROD Vertical Rod

Canopy:*

RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large

*Refer to Canopy Specification Guide

WARRANTY


3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.

If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

PROMETHEUS II LINEAR 1500



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.1500

Lamp:
24V LED WW 2700K

Lumens:
2317 LM

Voltage:
24V DC

Watts:
29 W

Weight:
Approx. 12 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:
AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf

* Stainless Steel has a different profile.

Suspension:
ROD Vertical Rod

Canopy:*
RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large

*Refer to Canopy Specification Guide

WARRANTY


3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.

If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

PROMETHEUS II LINEAR 1800



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.1800

Lamp:
24V LED WW 2700K

Lumens:
2781 LM

Voltage:
24V DC

Watts:
35 W

Weight:
Approx. 15 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:

AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf

* Stainless Steel has a different profile.

Suspension:

ROD Vertical Rod

Canopy:*

RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large

*Refer to Canopy Specification Guide

WARRANTY


3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.

If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

PROMETHEUS II LINEAR 2100



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.2100

Lamp:
24V LED WW 2700K

Lumens:
3244 LM

Voltage:
24V DC

Watts:
40 W

Weight:
Approx. 18 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:

AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf

* Stainless Steel has a different profile.

Suspension:

ROD Vertical Rod

Canopy:*

RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large

*Refer to Canopy Specification Guide

WARRANTY


3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.

If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

PROMETHEUS II LINEAR 2400



FRONT VIEW

SIDE VIEW

SPECIFICATIONS

Ordering Code:
PRM.2.LIN.2400

Lamp:
24V LED WW 2700K

Lumens:
3708 LM

Voltage:
24V DC

Watts:
46 W

Weight:
Approx. 20 kg*
*Exclusive of canopy

Inclusions:
Power Supply Unit x 60W

Exclusions:
User interface, Dimmer unit

PRODUCT OPTIONS

Finishes:
AB Aged Brass
BB Brushed Brass
HRB Hand Rubbed Brass
DB Dark Bronze
MP Mottled Patina
VER Verdigris
PB Polished Brass
BSS Brushed Stainless Steel*
PSS Polished Stainless Steel*
CL Copper Leaf
SL Silver Leaf
GL Gold Leaf
* Stainless Steel has a different profile.

Suspension:
ROD Vertical Rod

Canopy:*
RFS Round Flush Small
RFM Round Flush Medium
RFL Round Flush Large
RSM Round Surface Medium
RSL Round Surface Large
*Refer to Canopy Specification Guide


WARRANTY

3 Years Fixture
3 Years Power Supply Unit
3 Years LED

Prometheus II Linear is a solid fixture that will require very little maintenance over the years.
If your Prometheus II Linear is treated with care, it will shine brightly for many years to come.

Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional