

ROOM

WWW.ROOMONLINE.COM




SAULE LIGHTING

AVAILABLE IN A VARIETY OF CONFIGURATIONS AND SIZES




AGED BRASS ARMATURES, BRASS FIBER LEAVES, PINKISH HAND BLOWN GLASS GLOBES

ITEM NO. L488

SAULE-L-01





SAULE-L-03



ROOM

WWW.ROOMONLINE.COM


SAULE-L-05




ROOM

WWW.ROOMONLINE.COM


SAULE-S-01




Overall height to order (Min. 50")
Hauteur totale à commander (Min. 50")



SAULE-S-03





Overall height to order (Min. 58")
Hauteur totale à commander (Min. 58")



ROOM

WWW.ROOMONLINE.COM

SAULE-S-05



ROOM

WWW.ROOMONLINE.COM

SPÉCIFICATIONS

DIMENSIONS

SAULE-L-01
44" X 44" X 88" H
Overall height / Hauteur totale minimum 92"

SAULE-L-03
96" X 96" X 140" H
Overall height / Hauteur totale minimum 142"

SAULE-L-05
132" X 132" X 168" H
Overall height / Hauteur totale minimum 170"

SAULE-S-01
32" X 32" X 46" H
Overall height / Hauteur totale minimum 50"

SAULE-S-03
92" X 44" X 56" H
Overall height / Hauteur totale minimum 58"


SAULE-S-05
132" X 60" X 60" H
Overall height / Hauteur totale minimum 64"

HEIGHT / HAUTEUR

The chain is not adjustable / The overall height needs to be ordered. The height from the top of the fixture to the ceiling increases every 3", up to 120" included.

La chaîne n'est pas ajustable / La hauteur totale doit être commandée. La hauteur entre le haut du luminaire et le plafond augmente tous les 3", jusqu'à 120" inclus.


FINISHES / FINIS



Aged Brass
Laiton Antique



Brass fiber leaf
Feuille en tissu de laiton



Pinkish hand blown glass
Verre soufflé à la main rosé

SHADE / DIFFUSEUR

8" x 10" Hand blown glass ball
Globe 8" x 10" de verre soufflé à la main

SOURCE

Dimmable integrated LED / DEL intégré dimmable
120V or 0-10V Upon Request / Sur demande
2700K (Dim-to-Warm 2200K to 2700K)
SAULE-01: 600 Lumens / 10W Constant current driver / Transformateur à courant constant de 10W
SAULE-03: 1200 Lumens / 15W Constant current driver / Transformateur à courant constant de 15W
SAULE-05: 1800 Lumens / 30W Constant current driver / Transformateur à courant constant de 30W

CERTIFICATION

UL listed for Canada and USA
Certifié UL pour le Canada et E-U



COMPATIBLE DIMMER LIST/ LISTE DE GRADATEUR COMPATIBLE

Lutron	DVCL-153P *Recommended
Leviton	IPI06-1LZ
Leviton	6631-2
Lutron	S-603PG
Lutron	DV-600P
Lutron	TGCL-153P
Lutron	S-600P
Leviton	VPE06

ROOM

WWW.ROOMONLINE.COM